

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6826557").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/29 15:22
L3	479	model\$3 with query adj (language statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 15:24
L4	132	model\$3 with query adj (language statement) same (stor\$3 sav\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 15:24
L5	63	model\$3 with query adj (language statement) with (stor\$3 sav\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 15:34
L7	346	query adj model	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 15:34
L8	69	query adj (model repository stor\$3) with elements	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 15:35
L9	5	query adj (model repository stor\$3) with elements same GUI	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 16:09
L10	1	query adj (model repository stor\$3) with elements same GUI same API	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 15:35
L11	20	query adj (model repository stor\$3) with elements and GUI	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 16:11

EAST Search History

L12	1531	gui adj (applications api)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 16:10
L13	1285	"20" and 12	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 16:10
L14	1	"120" and 112	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 16:10
L15	100	gui adj api	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 16:10
L16	4	query adj (model repository stor\$3) with elements and (gui adj api)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 16:11
S2	111	(SQL adj2 Query) with (user adj interface)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/29 14:35
S3	19	(SQL adj2 Query) with (user adj interface) with (GUI or API)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:03
S4	15	(SQL adj2 Query) with (generat\$3) with (GUI or API)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/14 18:30
S5	18	dynamic same gui same sql same query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/14 18:31
S6	5	dynamic with gui same sql same query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/14 18:31

EAST Search History

S7	5	(dynamic with gui) same (sql with (query or statement))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/14 18:32
S8	1	("20050015361").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/15 10:58
S9	86	model adj content adj provider	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 10:59
S10	4	(model adj content adj provider) same (quer\$3 same (user adj interface) or GUI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:02
S11	32	query with (user adj interface) with ((GUI or API) same (plurality or multiple or several))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:09
S12	6	query with (user adj interface) with ((GUI or API) same (plurality or multiple or several)) and ((component or part or element) adj3 query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:05
S13	28	query with (user adj interface) with ((GUI or API) with(plurality or multiple or several))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:44
S14	152	interface with ((GUI or API) adj (plurality or multiple or several))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:48
S15	0	query with (user adj interface) with ((GUI or API) adj (plurality or multiple or several))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:44
S16	0	query with interface with ((GUI or API) adj (plurality or multiple or several))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:45

EAST Search History

S17	1	query same interface with ((GUI or API) adj (plurality or multiple or several))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:45
S18	62	interface with (API adj (plurality or multiple or several))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:57
S19	0	interface with (API adj (plurality or multiple or several)) same query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 11:57
S20	76	(hierarchical adj2 class\$2) and GUI and API	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 16:26
S21	47	API adj independent	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 14:59
S22	9	(API adj independent) and (API adj specific)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 14:58
S23	4	(API adj independent) same GUI	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 15:02
S24	3	store adj query adj (components or elements)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 15:03
S25	807	content adj viewer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 16:04
S26	98	content adj viewer and "715/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 16:06

EAST Search History

S27	151	content adj viewer and ("715"/". ccls. or ""707"/".ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 16:06
S28	28	content adj viewer and ("715"/". ccls. or ""707"/".ccls.) and API	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 16:24
S29	5	api adj specific adj classes	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 16:25
S30	62	(hierarchical adj2 class\$2) and GUI and API and query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/15 16:28
S31	103190	plurality with GUI API	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/25 10:43
S32	1	plurality with GUI with API with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/25 10:44
S33	4	query adj elements with query adj model	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/25 10:45
S34	8	stor\$3 adj query adj elements	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/25 10:45
S35	11	stor\$3 near (query adj elements)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/25 10:46
S36	24	stor\$3 near (query near elements)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/25 10:49

EAST Search History

S37	6	stor\$3 near (query near model)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/25 10:49
-----	---	---------------------------------	--	----	----	------------------